POLESTAR

Polestar

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding.
*Pop up box for wire management.
*Leg- MS Powder Coated.
*Beams- 25mm x 25mm MS Powder Coated.
*Modesty : 18mm thick PLPB.
*Side Storage : 18mm thick PLPB.

Available sizes
1800mm(W) x 900mm(D) x 750mm(H)
2100mm(W) x 900mm(D) x 750mm(H)
2400mm(W) x 900mm(D) x 750mm(H)

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding.
*Pop up box for wire management.
*Leg- MS Powder Coated.
*Beams- 25mm x 25mm MS Powder Coated.
*Vertical raiser for cable entry.

Available sizes
2400mm(W) x 1200mm(D) x 750mm(H)
3000mm(W) x 1200mm(D) x 750mm(H)
3600mm(W) x 1200mm(D) x 750mm(H)
Customised sizes can be done

NOTES

PURSUIT OF "
PERFECT DETAILS

Minimalist style, simple and elegant design,
make you reflect the different distinguished in a
wide field of vision. In practical design combined
with an elegant atmosphere and its head,
for your office environment has
been added to a brilliant luster.

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding.
*Pop up box for wire management.
*Leg- MS Powder Coated.
*Beams- 25mm x 25mm MS Powder Coated.
*Modesty : 18mm thick PLPB.
*Side Storage : 18mm thick PLPB.

Available sizes
1800mm(W) x 900mm(D) x 750mm(H)
2100mm(W) x 900mm(D) x 750mm(H)
2400mm(W) x 900mm(D) x 750mm(H)

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding.
*Pop up box for wire management.
*Leg- MS Powder Coated.
*Beams- 25mm x 25mm MS Powder Coated.

*Vertical raiser for cable entry.

Available sizes
2400mm(W) x 1200mm(D) x 750mm(H)
3000mm(W) x 1200mm(D) x 750mm(H)
3600mm(W) x 1200mm(D) x 750mm(H)
Customised sizes can be done

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding.
*Pop up box for wire management.
*Leg- MS Powder Coated.
*Beams-MS Powder Coated.
*Modesty : MS Perfo Powder Coated.

Available sizes
1600mm(W) x 750mm(D) x 750mm(H)
1800mm(W) x 900mm(D) x 750mm(H)
2100mm(W) x 900mm(D) x 750mm(H)

Side Unit
900mm(W) x 450mm(D) x 650mm(H)
Customised sizes can be done

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Pop up box for wire management.
*Leg- MS Powder Coated.
*Beams-25mm x 25mm MS Powder Coated.
*Vertical raiser for cable entry.

Available sizes
2400mm(W) x 1200mm(D) x 750mm(H)
3000mm(W) x 1200mm(D) x 750mm(H)
3600mm(W) x 1200mm(D) x 750mm(H)
Customised sizes can be done

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Pop up box for wire management.
*Leg- Aluminium diecasted.
*Beams-Aluminium diecasted Profile.
*Vertical raiser for cable entry.

Sizes
Standard size-1200mm(W) x 600mm(D) x 750mm(H)
Can be customised as per seating layout.

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Pop up box for wire management.
*Leg- MS Powder Coated.
*Beams-MS Powder Coated.
*PVC Vertibrac for cable entry.

Available sizes
900mm(Dia) 750mm(H)

NOTES

Polestar

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding.
*Pop up box for wire management.
*Leg- MS Powder Coated.
*Beams- MS Powder Coated.
*Modesty : MS Perfo Powder Coated.

Available sizes
1600mm(W) x 750mm(D) x 750mm(H)
1800mm(W) x 900mm(D) x 750mm(H)
2100mm(W) x 900mm(D) x 750mm(H)
Side Unit
900mm(W) x 450mm(D) x 650mm(H)
Customised sizes can be done

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Pop up box for wire management.
*Leg- MS Powder Coated.
*Beams-25mm x 25mm MS Powder Coated.
*Vertical raiser for cable entry.

Available sizes
2400mm(W) x 1200mm(D) x 750mm(H)
3000mm(W) x 1200mm(D) x 750mm(H)
3600mm(W) x 1200mm(D) x 750mm(H)
Customised sizes can be done

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding.
*Leg- MS Powder Coated.
*Beams-MS Powder Coated.
*Verrical Raiser for cable entry
*Divider- 8mm Sandwitch glass.

Sizes
Standard size-1200mm(W) x 600mm(D) x 750mm(H)
Can be customised as per seating layout.

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding.
*Pop up box for wire management.
*Leg- Aluminium diecasted.
*Beams- 25mm x 25mm Aluminium Diecasted.
*Modesty-18mm thick PLPB.
*Side unit-18mm thick PLPB.

Available sizes
1600mm(W) x 750mm(D) x 750mm(H)
1800mm(W) x 900mm(D) x 750mm(H)
2100mm(W) x 900mm(D) x 750mm(H)

Side Unit
900mm(W) x 450mm(D) x 650mm(H)
Customised sizes can be done

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Pop up box for wire management.
*Leg- Aluminium diecasted.
*Beams-25mm x 25mm MS Powder coated.
*Vertical raiser for cable entry.

Available sizes
2400mm(W) x 1200mm(D) x 750mm(H)
3000mm(W) x 1200mm(D) x 750mm(H)
3600mm(W) x 1200mm(D) x 750mm(H)
Customised sizes can be done

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Leg- Aluminium diecasted.
*Beams-Aluminium diecasted Profile.
*Vertical Cable raiser for wire management.
*Divider- 8mm Sandwitch glass

Sizes
Standard size-1200mm(W) x 600mm(D) x 750mm(H)
Can be customised as per seating layout.

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Pop up box for wire management.
*Leg- 50mm x50mm square c/s MS Powder couted
*Beams- 50x25
*Vertical raiser for cable entry.
*Modesty - 18

Available sizes
1600mm(W) x 750mm(D) x 750mm(H)
1800mm(W) x 900mm(D) x 750mm(H)
2100mm(W) x 900mm(D) x 750mm(H)

Side Unit
900mm(W) x 450mm(D) x 650mm(H)
Customised sizes can be done

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Pop up box for wire management.
*Leg- Aluminium diecasted.
*Beams-Aluminium diecasted Profile.
*Vertical raiser for cable entry.
*Role 50mm x50mm square c/s MS Powder couted
*Divider- 8mm Sandwitch glass.

Sizes
Standard size-1200mm(W) x 600mm(D) x 750mm(H)
Can be customised as per seating layout.

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Pop up box for wire management.
*Leg- 50mm x25mm square c/s MS Powder couted
*Beams- 50x25

Available sizes
1600mm(W) x 750mm(D) x 750mm(H)
1800mm(W) x 900mm(D) x 750mm(H)
2100mm(W) x 900mm(D) x 750mm(H)

Side Unit
900mm(W) x 450mm(D) x650mm(H)

NOTES

SPECIFICATIONS

*Table top- 25mm thick PLPB finished with 2mm PVC edge binding
*Pop up box for wire management.
*Leg- Aluminium diecasted.
*Beams-Aluminium diecasted Profile.
*Vertical raiser for cable entry.
*Role 50mm x50mm square c/s MS Powder couted
*Divider- 8mm Sandwitch glass.

Sizes
Standard size-1200mm(W) x 600mm(D) x750mm(H)
Can be customised as per seating layout.

NOTES

POLESTAR