






WORKSTATION ,STORAGES AND TABLES



## BACK TO BACK OPEN WORKSTATION (WITH LACQUERED GLASS SCREEN)

Non Sharing Straight Workstations

Sharing Straight Workstations



1 Seater – 1500Lx800D  
1200Lx800D  
900Lx600D

2 Seater – 3000Lx800D  
2400Lx800D  
1800Lx600D

2 Seater – 1500Lx1200D  
1200Lx1200D  
900Lx1200D

4 Seater – 3000Lx1200D  
2400Lx1200D  
1800Lx1200D

### TOP

25mm Thick PLPB

### Storage/Pedestal

18mm Thick PLPB

### Legs

50x50 MS CRCA Powder Coated

### Screen

Lacquered Glass/Soft Board/Partition System

### Wire Management


PVC Grommet Hole Cap



## BACK TO BACK OPEN WORKSTATION (WITH SOFT BOARD)

Non Sharing Straight Workstations

Sharing Straight Workstations



1 Seater – 1500Lx600D  
1200Lx600D  
900Lx600D

2 Seater – 3000Lx600D  
2400Lx600D  
1800Lx600D

2 Seater – 1500Lx1200D  
1200Lx1200D  
900Lx1200D

4 Seater – 3000Lx1200D  
2400Lx1200D  
1800Lx1200D

### TOP

25mm Thick PLPB

Storage/Pedestal

18mm Thick PLPB

### Legs

50x50 MS CRCA Powder Coated

### Screen

Lacquered Glass/Soft Board/Partition System

Wire Management


PVC Grommet Hole Cap



## BACK TO BACK OPEN WORKSTATION (WITH MS PARTITION )

Non Sharing Straight Workstations

Sharing Straight Workstations



1 Seater – 1500Lx900D  
1200Lx600D  
900Lx600D

2 Seater – 3000Lx600D  
2400Lx900D  
1800Lx600D

2 Seater – 1500Lx1200D  
1200Lx1200D  
900Lx1200D

4 Seater – 3000Lx1200D  
2400Lx1200D  
1800Lx1200D

### TOP

25mm Thick PLPB

### Storage/Pedestal

18mm Thick PLPB

### Legs

50x50 MS CRCA Powder Coated

### Screen

Lacquered Glass/Soft Board/Partition System

### Wire Management




PVC Grommet Hole Cap

# LINEAR OPEN WORKSTATION



Non Sharing Straight Workstations

Sharing Straight Workstations



1 Seater – 1500Lx600D  
1200Lx600D  
900Lx600D

2 Seater – 3000Lx600D  
2400Lx600D  
1800Lx600D



2 Seater – 1800Lx1200D  
1200Lx1200D  
900Lx1200D

4 Seater – 3000Lx1200D  
2400Lx1200D  
1800Lx1200D

**TOP**  
25mm Thick PLPB  
**Storage/Pedestal**  
18mm Thick PLPB  
**Legs**  
50x50 MS CRCA Powder Coated  
**Screen**  
Lacquered Glass/Soft Board/Partition System  
**Wire Management**  
PVC Grommet Hole Cap




## PLUS TYPE OPEN WORKSTATION




- TOP**  
25mm Thick PLPB
- Storage/Pedestal**  
18mm Thick PLPB
- Legs**  
50x50 MS CRCA Powder Coated
- Screen**  
Lacquered Glass/Soft Board/Partition System
- Wire Management**  
PVC Grommet Hole Cap



# TILE BASED BACK TO BACK WORKSTATION



Available in



50mm

75mm

### Top/Legs

25mm Thick PLPB

### Partition

50mm/75mm Thick MS Frame with Soft Board and Writing Board.

### Raceway


Continuous Raceway at Skirting Level and Electrical Raceway Below Table Top.

### Pedestal and Divider

Pedestal Madeupof 18mm Thick PLPB and 8mm Thick Glass Divider (Frosted/Transparent)



## TILE BASED BACK TO BACK WORKSTATION



Available in



50mm

75mm

### Top/Legs

25mm Thick PLPB

### Partition

50mm/75mm Thick MS Frame with  
Soft Board and Writing Board.

### Raceway

Continuous Raceway at Skirting  
Level and Electrical Raceway Below  
Table Top.

### Pedestal and Divider

Pedestal Made up of 18mm Thick PLPB  
and 8mm Thick Glass Divider  
(Frosted/Transparent)



## TILE BASED BACK TO BACK WORKSTATION

Available in



50mm

75mm

### Top/Legs

25mm Thick PLPB

### Partition

50mm/75mm Thick MS Frame with  
Soft Board and Writing Board.

### Raceway

Continuous Raceway at Skirting  
Level and Electrical Raceway Below  
Table Top.

### Pedestal and Divider

Pedestal Madeupof 18mm Thick PLPB  
and 8mm Thick Glass Divider  
(Frosted/Transparent)






## TILE BASED LINEAR WORKSTATION



Available in



50mm

75mm

### Top/Legs

25mm Thick PLPB

### Partition

50mm/75mm Thick MS Frame with Soft Board and Writing Board.

### Raceway

Continuous Raceway at Skirting Level and Electrical Raceway Below Table Top.

### Pedestal and Divider


Pedestal Madeupof 18mm Thick PLPB and 8mm Thick Glass Divider (Frosted/Transparent)



## TILE BASED LINEAR WORKSTATION



Available in



50mm

75mm

### Top/Legs

25mm Thick PLPB

### Partition

50mm/75mm Thick MS Frame with  
Soft Board and Writing Board.

### Raceway



Continuous Raceway at Skirting  
Level and Electrical Raceway Below  
Table Top.

### Pedestal and Divider


Pedestal Madeupof 18mm Thick PLPB  
and 8mm Thick Glass Divider  
(Frosted/Transparent)



## L SHAPED TILE BASED WORKSTATION



Available in



50mm

75mm

### Top

25mm Thick PLPB

### Legs

18 / 25mm Thick PLPB

### Partition

50mm / 75mm Thick

### Raceway

Continuous Raceway at Skirting level  
and Electrical Raceway Below Table Top


### Pedestal / Divider

18mm Thick PLPB , 8 mm Thick Glass Driver  
Frosted Glass / Transparent Glass

# U SHAPE AND H SHAPE TILE BASED WORKSTATION



Available in



50mm

75mm

### Top/Legs

25mm Thick PLPB

### Partition

50mm/75mm Thick MS Frame with  
Soft Board and Writing Board.

### Raceway

Continuous Raceway at Skirting  
Level and Electrical Raceway Below  
Table Top.

### Pedestal and Divider

Pedestal Madeupof 18mm Thick PLPB  
and 8mm Thick Glass Divider  
(Frosted/Transparent)

# 120 DEGREE / PLUS TYPE TILE BASED WORKSTATION



Available in



50mm

75mm

## Top/Legs

25mm Thick PLPB

## Partition

50mm/75mm Thick MS Frame with  
Soft Board and Writing Board.

## Raceway

Continuous Raceway at Skirting  
Level and Electrical Raceway Below  
Table Top.

## Pedestal and Divider


Pedestal Made up of 18mm Thick PLPB  
and 8mm Thick Glass Divider  
(Frosted/Transparent)




# 120 DEGREE + L SHAPE TILE BASED WORKSTATION



Non Sharing 'L' Shape Workstations




1 Seater – 1500Lx1500Lx600D  
1200Lx1200Lx600D  
1500Lx1200Lx600D



2 Seater – 1500Lx1500Lx600D  
1200Lx1200Lx600D  
1500Lx1200Lx600D

Sharing 'L' Shape Workstations



4 Seater – 1500Lx1500Lx600D  
1200Lx1200Lx600D  
1500Lx1200Lx600D

Available in



50mm

75mm

### Top/Legs

25mm Thick PLPB

### Partition

50mm/75mm Thick MS Frame with Soft Board and Writing Board.

### Raceway

Continuous Raceway at Skirting Level and Electrical Raceway Below Table Top.

### Pedestal and Divider

Pedestal Madeupof 18mm Thick PLPB and 8mm Thick Glass Divider (Frosted/Transparent)



# WORKSTATION SERIES



120 Degree Open Workstation



Tile Based Workstation with PLPB Return Spine



Open Workstation With Divider Glass



Tile Based Linear Workstation With Single Drawer



Open Workstation with Frame Partition



## WORKSTATION SERIES



Linear Open Workstation With Lacquered Glass Screen



Linear Open Workstation With MS Frame Partition



Back to Back Workstation With MS Frame Partition



Tile Based Linear Workstation with Keyboard Tray



Tile Based Linear Workstation with Single Drawer



Tile Based Linear Workstation with Glass Dividers and Return Spine at Ends



Plus Type Tile Based Workstation with Return Spine



Plus Type Tile Based Workstation with PLPB Gable End



Open Workstation With Glass Screen and Glass Dividers



## L SHAPE TABLE



## SIDE STORAGE UNIT



**Top**  
25mm Thick PLPB  
**Legs**  
18/25mm Thick PLPB  
**Storage/Pedestal**  
18mm Thick PLPB  
**Modesty**  
18mm Thick PLPB

## EXECUTIVE TABLES



### Table Size

L-1800 x W-750 x H-750mm

### Side Unit

L-1200 x D-450 x H-675mm

### Pedestal

L-450 x D-450 x H-675mm

### Top

36mm/25mm Thick PLPB

### Legs

25mm Thick PLPB

### Modesty/Storage/PEDESTAL

18mm Thick PLPB

### Table Size

L-1800 x W-750 x H-750mm

### Side Unit

L-900 x D-450 x H-675mm

### Pedestal

L-450 x D-450 x H-675mm

### Top

36mm/25mm Thick PLPB

### Legs

25mm Thick PLPB

### Modesty/Storage/PEDESTAL

18mm Thick PLPB





## EXECUTIVE TABLE WITH METAL UNDERSTRUCTURE

### Table Size

L-1800 x W-750 x H-750mm

### Side Unit

L-1200 x D-450 x H-675mm

### Pedestal

L-450 x D-450 x H-675mm

### Top

25mm Thick PLPB

### Legs

MS Powder Coated 50x50mm

### Modesty /Storage /PEDESTAL

18mm Thick PLPB



### Table Size

L-1800 x W-750 x H-750mm

### Side Unit

L-900 x D-450 x H-675mm

### Pedestal

L-450 x D-450 x H-675mm

### Top

25mm Thick PLPB

### Legs


MS Powder Coated 50x50mm

### Modesty /Storage /PEDESTAL

18mm Thick PLPB




CONFERENCE TABLE WITH WOODEN UNDERSTRUCTURE



**Top**  
25mm Thick PLPB  
**Legs**  
25mm Thick PLPB  
**Modesty**  
18mm Thick PLPB

# CONFERENCE TABLE WITH METAL UNDERSTRUCTURE



4 Seater - 1500Lx1200D  
1500Lx900D

6/8 Seater - 2400Lx1200D  
2100Lx1200D

10/12 Seater - 3000Lx1200D  
2700Lx1200D

**Top**  
25mm / 36mm Thick PLPB  
**Legs**  
50x50 CRCA Powder Coated

# U SHAPE CONFERENCE TABLE



- Top**  
25mm Thick PLPB
- Legs**  
25mm Thick PLPB
- Modesty**  
18mm Thick PLPB

# RECEPTION TABLES



W-1200 x D-600 x H-1050 mm  
W-1500 x D-750 x H-1050 mm



W-1200 x D-600 x H-1050 mm  
W-1500 x D-750 x H-1050 mm



**Top**  
25mm Thick PLPB  
**Legs**  
25mm Thick PLPB  
**Modesty**  
18mm Thick PLPB



## STORAGES





# STORAGES

3 DRAWER PEDESTAL MOBILE/FIXED (18mm PLPB)

STORAGES WITH SWING DOORS/DRAWERS/SLIDING DOORS (18mm PLPB)



W- 450x D- 450x H- 650/690mm



W- 900x D- 450x H- 900/1200mm



W- 900x D- 450x H-750 mm



W- 900x D- 450x H-750 mm



W- 900x D- 450x H-750/900 mm



W-1200 x D- 450x H- 750mm



W-750/900 x D-450 x H-900mm

# STORAGE WITH SWING DOORS (GLASS TYPE)



W-750/900 x D-450 x H-900mm

OPEN TYPE STORAGE



W- 900x D- 450x H- 900/1200mm

W-750/900 /1200 x D-450 x H- 2100mm





*PROJECT IMAGES*





*PROJECT IMAGES*





Email us @ [info@polestarfurniture.in](mailto:info@polestarfurniture.in)

Visit us @ [www.polestarfurniture.in](http://www.polestarfurniture.in)